
ndbyrbst chuids



1.




Fig. 3




Fig. 4




Fig. 5

LupdateLoc. (Imsz) Visited Function MHPTN 2 Update Loc. (ImsI, 3. Subscr data [s. data, Ins) Home Function 4. Cancelloc (IMSI)

7

SIM Serving 2. update Loc (IMSI, VIRTIEU) 5. Subscribata (S. data, Inst) Visited . Gateway Function unction


no by the contract

1 update Loc (FASE) 2 uplate Loc (IMST, VF_TA) 5 subscr data (s. data, Inst) Function 7 3, update Loc. (Inst Gusterun) 4 subser data (s. data IMSI) HLR

Calib 44 Addr. Resp. (ms ISD) VE TA (Inst may be alias) entity towards Farction 204 MIGIN 2. Status Fra. Status Rosp. (Status, IMSI (ISMI) WISITED VISITED 6 Call Forwarded to MS Status Resp MS


(MSISDN) Thtel. 211 5. AMEROSA (SMET, VETA 6. IP tel. call Set up from Gateway function twiction (they provide IMSI as an alias) Reg. (MSTSR) tor Hometron 4 Status Rest (First, Status 3. Status Eng. (IMSI) forwards Visited 34 Stat. EVE 2 (Systes (South

matity Chaldre Resp. (IMSA, GW-JA) オルストナッス -5. Status Resp. (IMSI, status) lias) Gateway かったっと 8. PSTN COLL(RN) 3 RN Rag. (FMSI) # RN. Rap (RH, Statustons (EWF Stores RN) tunction



Signaling media


F13.12



signaling media


Fig.13

MOSISM (MSISDNAIMS) 13 PSTN Call CONSISON 6. RN Resp. CRN Gateway Tunotion. (INSI) P. To Set up E Jases Linkages or Access types can be used



Signaling media

F19.15



Signaling

F19.16





Fig. 17

MIPTN Procedures cellular Procedurer 630 MIPTN SMSGW Home celluhr Funetion SMSC 204 900 10. FSM- ACK MIPTN MIPTN Procedures Visited FUNCTION 208 Ų (fi Ш d D MS 150

Fig. 18







Fig. 20

SMT 720 Fig.21 MS MSISON Procedures cellular SM SC 900 (SMSGWE164, IMST) cellular Procedures MIPTH SM SGW (Ims = , msg) 630 Visited Function 208 1. FSMACK Procedures 750 MS



SMT (msq, msIson) MIPTN MIPTN Visited 5MSC 420 204 MIPTN Procedures Procedures Ms